Wisconsin Department of Safety and Professional Services Division of Industry Services 1400 East Washington Avenue PO Box 7302 Madison WI 53707-7302



Fax: 608-267-9723 Web: http://dsps.wi.gov/programs/Industry-Services

Scott Walker, Governor Dave Ross, Secretary

Personal information you provide may be used for secondary purposes [Privacy Law s.15.04 (1)(m)].

ELEVATOR / ESCALATOR ACCIDENT REPORT

	Owners Name	Registration Tag No.
Street Address	Address	Regulated Object ID.
City, State, Zip	City, State, Zip	Manufacturer
SPS 318.1008(1) (a) Accidents to be report injury to any person, the owner or person in accident. The report shall include the date a accident and description of the accident. Note: The department may be contacted Division of Emergency Management cannot be accident.	control of the elevator shall notify the accident, the location and time of the accident, the location and at phone: (608) 266-7548 during	the department within 48 hours of the of the elevator or device involved in the g normal business hours. The State
	ne of Injury:	
Address:	City:	State: Telephone:
Nature of Injury:		Did Accident Cause a Fatality: ☐ Yes ☐ No
installation covered by this chapter and resu	lts in injury to a person who requires	
 installation covered by this chapter and result or device shall be taken out of service and sl 3. SPS 318.1008(4) (c) Removal of parts rest mechanism shall be removed from the premi 	Its in injury to a person who requires thall not be used again until authorized tricted. No part of the damaged instances until the department grants permits and the department grants permits are the second secon	s immediate medical attention, the elevator ed by the department. allation, construction or operating nission.
installation covered by this chapter and result or device shall be taken out of service and sl 3. SPS 318.1008(4) (c) Removal of parts rest mechanism shall be removed from the premi	Its in injury to a person who requires thall not be used again until authorized tricted. No part of the damaged instances until the department grants permits and the department grants permits are the second secon	s immediate medical attention, the elevator ed by the department. allation, construction or operating
installation covered by this chapter and resulor device shall be taken out of service and sl 3. SPS 318.1008(4) (c) Removal of parts rest mechanism shall be removed from the premias Elevator Operated after Accident: Yes	Its in injury to a person who requires thall not be used again until authorized tricted. No part of the damaged instances until the department grants permits and the department grants permits are the second secon	s immediate medical attention, the elevator ed by the department. allation, construction or operating nission.
installation covered by this chapter and resulor device shall be taken out of service and sl 3. SPS 318.1008(4) (c) Removal of parts rest mechanism shall be removed from the premias Elevator Operated after Accident: Yes Yes, Name(s) and Telephone Number(s):	Its in injury to a person who requires thall not be used again until authorized tricted. No part of the damaged instaises until the department grants perm. No Was the Elevator Contractor of	s immediate medical attention, the elevator ed by the department. allation, construction or operating nission. or Inspector Notified: Yes No
installation covered by this chapter and resulor device shall be taken out of service and sl 3. SPS 318.1008(4) (c) Removal of parts rest mechanism shall be removed from the premi as Elevator Operated after Accident: Yes Yes, Name(s) and Telephone Number(s): Yes, Reason: Scribe fully how accident occurred and state what in me(s) and Telephone Number(s) of Witness(es): Does Elevator have a Permit to Operate: Yes	Its in injury to a person who requires thall not be used again until authorized tricted. No part of the damaged instatises until the department grants perm. No Was the Elevator Contractor of the damaged instatises until the department grants perm. No Was the Elevator Contractor of the damaged instatises until the department grants perm. No Was the Elevator Contractor of the damaged instatises until the department grants perm.	s immediate medical attention, the elevator ed by the department. allation, construction or operating nission. or Inspector Notified: Yes No
installation covered by this chapter and resulor device shall be taken out of service and sl 3. SPS 318.1008(4) (c) Removal of parts rest mechanism shall be removed from the premises Elevator Operated after Accident: Yes Yes, Name(s) and Telephone Number(s): Yes, Reason: Scribe fully how accident occurred and state what in me(s) and Telephone Number(s) of Witness(es):	Its in injury to a person who requires thall not be used again until authorized tricted. No part of the damaged instatises until the department grants perm. No Was the Elevator Contractor of the damaged instatises until the department grants perm. No Was the Elevator Contractor of the damaged instatises until the department grants perm. No Was the Elevator Contractor of the damaged instatises until the department grants perm.	s immediate medical attention, the elevator ed by the department. allation, construction or operating nission. or Inspector Notified: Yes No